










Swiss precision for excellent audio quality




# VOICE TECHNOLOGIES

## Connection for VT910DC




Connection with color code	Picture	Connector type	Brand, type
Pin 1: Ground (copper) Pin 2: NF (red) Pin 3: 1Kohm to Pin 2		TA3F	AKG
Sleeve: (copper) Tip: (red)		3.5 mm mono	AKG B-Lock
Pin 1: Ground (copper) Pin 2: - Pin 3: NF (red) Pin 4: 1 kOhm to Pin 3		Hirose 4pin	Audio Technica

Connection with color code	Picture	Connector type	Brand, type
Pin 1: NF (red) Pin 2: 1 kOhm to Pin 1 Pin 3: bridged to Pin 4 Pin 4: bridged to Pin 3 Pin 5: Ground (copper) Pin 6: -		Lemo 6pin	Audio Ltd.
Pin 1: Ground (copper) bridged to Pin 2 Pin 2: bridged to Pin 1 Pin 3: NF (red) Pin 4: 1 kOhm to Pin 3		TA4F	Beyerdynamic
Pin 1: Ground (copper) Pin 2: 1 kOhm to Pin 3 Pin 3: NF (red)		TA3F	Comtek
Pin 1: Ground (copper) Pin 2: NF (red) Pin 3: 1 kOhm to Pin 2 Pin 4: bridged to Pin 3		TA4F	Elektro Voice

Connection with color code	Picture	Connector type	Brand, type
Pin 1: Ground (copper) Pin 2: - Pin 3: 1 kOhm to pin 5 Pin 4: - Pin 5: NF (red)		TA5F	Lectrosonics SM series
Pin 1: bridged to Pin 4 Pin 2: 1 kOhm to Pin 3 Pin 3: NF (red) Pin 4: Ground (copper) Bridged to Pin1 Pin 5: -		TA5F	Lectrosonics UM/LM Series (alt)
Pin 1: Ground (copper) Pin 2: bridged to Pin 1 Pin 3: NF (red) Pin 4: 1 kOhm to Pin 3		TA4F	Mipro new series
Pin 1: Ground (copper) Pin 2: NF (red) Pin 3: 1 kOhm to Pin 2		TA3F	Monacor

Connection with color code	Picture	Connector type	Brand, type
Pin 1: Ground (copper) Pin 2: 1 kOhm to Pin 3 Pin 3: NF (red)		TA3F	Nady
Pin 1: Ground (copper) Pin 2: 1 kOhm to Pin 3 Pin 3: NF (red) Pin 4: -		TA4F	Sabine SW7000
Sleeve: (copper) Tip: (red)		3.5 mm stereo	Sennheiser Evolution series
	Ask for a manual	Lemo 3pin	Sennheiser professional series 2000/3000/5000

Connection with color code	Picture	Connector type	Brand, type
Pin 1: Ground (copper) Pin 2: 1 kOhm to Pin 3 Pin 3: NF (red) Pin 4: -		TA4F	Shure TA4F
Pin 1: 1 kOhm to Pin 2 Pin 2: NF (red) Pin 3: 2,70 kOhm to Pin 4 Pin 4: Ground (copper)		Hirose 4pin SMC-9	Sony SMC-9 (Hirose 4pin)
Sleeve: Ground (copper) Tip: NF (red) Ring: 1 kOhm to Tip		3.5 mm stereo	Sony 3.5 mm stereo
Pin 1: Ground (copper) Pin 2: 1 kOhm to Pin 3 Pin 3: NF (red) Pin 4: -		TA4F	Toa

Connection with color code	Picture	Connector type	Brand, type
Pin 1: Ground (copper) Pin 2: 1 kOhm to Pin 3 Pin 3: NF (red) Pin 4: -		TA4F	Telex
Pin 1: Ground (copper) Pin 2: 1 kOhm to Pin 4 Pin 3: - Pin 4: NF (red)		TA4F	Trantec
Same as Sennheiser SK50	Ask for a manual	Lemo 3 pin	Wisycm Zaxcom
	Ask for a manual 	2.5 mm mono	Lectrosonics WM-Serie